#### United Nations Framework Convention on Climate Change

# Agenda item 4.1(c)

Paragraph 30(c) of the annotated agenda

# Revision to AMS-III.AV: Low greenhouse gasemitting safe drinking water production systems

**CDM EB100** 

Bangkok, Thailand, 27-31 August 2018



## **Procedural background**

- EB 97 requested MP to revise "AMS-III.AV: Low greenhouse gas emitting safe drinking water production systems" to improve the accuracy of emission reduction estimation methods.
- EB93 adopted the workplan for 2017, which included development of non-binding best practice examples. The MP selected AMS-III.AV as a priority.



 MP75 prepared the draft revised AMS-III.AV. A call for public inputs was launched from 6 to 20 April 2018. No input was received.



## **Key revisions**

- The draft revised methodology proposes several improvements to the methodology, including:
- 1) To update the eligible technologies as per the recommendations contained in the relevant guidelines published by the World Health Organization (WHO);
- To elaborate monitoring procedures for different types of technologies/measures;
- To clarify the monitoring requirements related to SSC\_702 for soil filtration technologies;
- 4) To ensure consistency with AM0086
  - 1) for additionality provisions;
  - 2) By expanding applicability by allowing the situation where there is a public distribution network but is not supplying safe drinking water;
- 5) To include non-binding best practice examples to enhance the understanding of the requirements in the methodology.



## **Impacts**

- The proposed revision to this methodology will enable more accurate and reliable calculation of emission reductions and also provide further clarity on the requirements to be followed by CDM project activities and CPAs introducing water purification
- Furthermore, inclusion of non-binding best practice examples will enhance the understanding of the requirements in the methodology hence avoiding recurring pitfalls with project development.



#### **Recommendations to the Board**

• The MP recommends that the Board approve this draft revised methodology, to be made effective at the time of the Board's approval.

